

Special Seasonal Report



Ambulance Patient Offload Time
Week 30 (07/21/19 – 07/27/19)

2019-20
Flu
Season


This report and all current and recent APOT reports can be found online at:
<http://www.rivcoems.org/Documents/Reports-Current>

Prepared by Sudha Mahesh, Riverside County EMS Agency – August 2, 2019

SPECIAL SEASONAL REPORT


In an effort to monitor seasonal surge in Ambulance Patient Offload Time (APOT) during the 2018-19 Influenza season, Riverside County EMS Agency is publishing weekly reports. The following charts represent weekly aggregate APOT/APOD data for the past 10 weeks, updated weekly.

**Weekly Transports and APODs
2019 Week 21 through 30**



- During 2019 week 30, there was a total of **2962 transports in Riverside County**— a **1.1% INCREASE** from the previous week’s 2931 transports.
- The number of **APODs in week 30 was 595**, which is **0.7% BELOW** the previous week total of 599 APODs.

**Weekly APOT and APOD Hours
2019 Weeks 21 through 30**




- During 2019 week 30, **APOT county-wide totaled 1047.6 hours** — **1.4% ABOVE** the previous week’s total of 1033.1 hours.
- County-wide **APOD hours for week 30 totaled 195.4 hours**, a **1.4% INCREASE** from the previous week’s 192.5 hours.

RIVERSIDE COUNTY AMBULANCE PATIENT OFFLOAD TIME

The data provided illustrates total ambulance patient offload delay time (hh:mm) by month for 2015 through **July 27, 2019 (week 30)** from hospitals within Riverside County. To qualify for this chart, the duration of offload delay must be greater than 30 minutes, and only the time period after the first 30 minutes is summed.

Beginning January 2017, offload times represented are measured using time of patient arrival at hospital (eTimes.11) until the time of patient transfer (eTimes.12) as represented on the ePCR (electronic patient care report). This represents a different methodology in offload time measurement. Prior to January 2017, offload times were calculated using CAD times, beginning with the time that dispatch placed the ambulance on bed delay status until the time the ambulance left the hospital. This chart represents the difference in the old vs. current by displaying the former time measurement/methodology in grayscale.



*For May of 2016, actual totals may have been slightly higher than are reported due to a 3-day CAD outage.

**Beginning August 2017, times represented include all participating providers. Prior to August, data included AMR responses only.

†July 2019 is a partial month.

APOD AMBULANCE REDIRECTION

On March 20, 2019, Riverside County EMS Agency activated Provisional Policy 6104 (<http://www.remsa.us/policy/6104.pdf>) to allow provisional redirection of Ambulances from hospitals that have extended Ambulance Patient Offload Delay (APOD)--to the closest most appropriate hospital that does not have extended APOD. Extended APOD is a patient remaining on an ambulance gurney for 90 minutes or greater after arrival at a hospital. The table below shows the ambulance diversions that occurred during week 30.

	Occurrences of APOD Redirection
Corona Regional Medical Center	2
Inland Valley Medical Center	1
Menifee Valley Medical Center	3
Riverside Community Hospital	7
Grand Total	13


AMBULANCE PATIENT OFFLOAD TIME BY HOSPITAL

For 2019 Week 30

Key: High Low/Best

APOT Snapshot					
	ALS Transports	APOT	APOD Hours	APODs	APOD Compliance
Corona Regional Med Ctr	201	94:31:11	23:32:30	64	68.2%
Desert Regional Med Ctr	265	57:18:25	1:40:09	15	94.3%
Eisenhower Health	284	44:38:47	0:47:40	5	98.2%
Hemet Valley Hospital	348	170:46:49	37:26:37	142	59.2%
Inland Valley Med Ctr	213	90:55:10	18:14:09	62	70.9%
JFK Hospital	156	21:39:27	0:09:57	2	98.7%
Kaiser Hospital Riverside	99	25:24:03	1:07:34	10	89.9%
Loma Linda Univ Med Ctr Mur	132	51:11:04	6:54:12	28	78.8%
Menifee Med Ctr	76	32:37:57	10:40:19	17	77.6%
Moreno Valley Hospital	88	25:03:58	2:38:15	9	89.8%
Palo Verde Hospital	33	3:19:26	0:00:00	0	100.0%
Parkview Community Hospital	128	43:40:00	5:33:55	26	79.7%
Rancho Springs Med Ctr	114	31:28:53	1:35:16	15	86.8%
Riverside Community Hospital	308	200:37:50	76:51:54	148	51.9%
Riverside University Health System	278	84:51:47	4:46:03	26	90.6%
San Geronio Mem Hospital	141	39:32:17	1:47:05	14	90.1%
Temecula Valley Hospital	98	30:22:06	1:53:33	12	87.8%
Totals	2,962	1047:59:10	195:39:08	595	79.9%

Transports and APODs by Hospital
2019 Week 30




ILI -INFLUENZA-LIKE ILLNESS RESPONSE

The purpose of the REMSA ILI (Influenza-like Illness) trigger and report is to improve tracking of influenza related activity and facilitate EMS preparedness in the event of a significant influenza surge event, similar or greater than that observed during the 2017-18 flu season.


The ILI trigger evaluates electronic patient report (ePCR) data using the following methodology:

1. Filters primary or secondary impression of code J11 (Influenza due to unidentified influenza virus)
OR
2. A primary / secondary impression code J80, J98.09 (Acute respiratory distress syndrome, Respiratory disorder unspecified) with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza
OR
3. Any incident with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza.



ILI - INFLUENZA-LIKE ILLNESS RESPONSE (CONT.)

October - Week 40 is defined by the Center for Disease Control (CDC) as the expected seasonal start of increasing flu activity. In Week 30, EMS ILI response INCREASED by 8.8% compared to the previous week and was 12.9% LOWER than the rolling annual average.




PUBLIC HEALTH AND MEDICAL SYSTEM STATUS	
Green	The Public Health and Medical System is in usual day-to-day status. Situation resolved; no assistance is required.
Yellow	The Public Health and Medical System is managing the incident using local resources or existing agreements. No assistance is required.
Orange	The Public Health and Medical System requires assistance from within the local jurisdiction/Operational Area.
Red	The Public Health and Medical System requires assistance from outside the local jurisdiction/Operational Area.
Black	The Public Health and Medical System requires significant assistance from outside the local jurisdiction/Operational Area.
Grey	Unknown.

EMS ILI response two standard deviations above the calculated baseline average during non-peak flu seasons is considered a surge in flu activity. Surges are identified as color levels adapted from the *CDPH Standards and Guidelines for Healthcare Surge During Emergencies*:

<https://www.cdph.ca.gov/Programs/EPO/CDPH%20Document%20Library/FinalEOM712011.pdf>

DOPH

Riverside County Public Health provides Emergency Department (ED) ILI activity information from participating hospitals throughout the county. The graph on the right provides a comparison between EMS and ED related ILI activity.



ILI data compiled by Catherine Farrokhi and Sudha Mahesh, Riverside County EMS Agency.



HEAT-RELATED RESPONSE

Excessive heat exposure kills more people than any other weather-related phenomenon, aggravates chronic diseases, and causes direct heat illness^{7,8,9,10}. Relationships between extreme heat and health can be identified through increased hospitalizations, emergency department visits and demand for emergency medical services (EMS). The purpose of the REMSA Environmental Heat trigger is to analyze EMS demand associated with extreme heat, using response data from electronic patient care reports (ePCRs).

The HEAT trigger evaluates ePCRs using the following methodology:

1. Primary or Secondary Impression as “Heatstroke” or “Sunstroke”
- OR**
2. Injury related to “Excessive Natural Heat”.

The graph below illustrates total EMS heat-related responses by week from 2018 through July 27, 2019 (week 30) and compares them against maximum temperature averages across Riverside County for the same week. Climate data is obtained from the National Climate Data Center, National Oceanic and Atmospheric Administration - NOAA.



APOT AND APOD DEFINITIONS

Ambulance Patient Offload Time (APOT)

The Time interval between the arrival of an ambulance patient at an ED and the time the patient is transferred to the ED gurney, bed, chair, or other acceptable location and the emergency department assumes the responsibility for care of the patient.¹ The Clock Start (eTimes.11) is the time of patient arrival at the destination (hospital), and the Clock Stop (eTimes.12) is time the care of the patient is transferred.² REMSA obtains both times from the ePCR.

APOT -1 Specifications

Criteria: All 911 transports to a hospital emergency department for which the patient arrival and transfer dates and times are “logical and present.”³

Method: Aggregate of all transfer times and reported at the 90th percentile (the value for which 90% of the times are shorter).

APOT -2

An ambulance patient offload time interval process measure. This metric demonstrates the incidence of ambulance patient offload times expressed as a percentage of total EMS patient transports within a twenty (20) minute target and exceeding that time in reference to 60, 120 and 180 minute time intervals.⁴

Ambulance Patient Offload Delay (APOD)

Any delay in ambulance patient offload time (APOT) that exceeds the local ambulance patient offload time standard of 25/30 minutes (Riverside County EMS Agency applies a 30-minute standard). This shall also be synonymous with “non-standard patient offload time” as referenced in the Health and Safety Code.⁵ If the transfer of care and patient offloading from the ambulance gurney exceeds the 30 minute standard, it will be documented and tracked as APOD.⁶

Data Definitions

Data in this report includes all transports to the 17 hospitals monitored by REMSA in the respective month relative to the date and time the incident originates (eTimes.03--Dispatch Notified Date/Time). *For example, if an incident originates on June 30, and the patient is subsequently transferred to the care of an emergency department on July 1, that incident will be included in the month of June.*

Canceled calls, calls for which both arrival and transfer times are not present, and calls with erroneous/negative offload times are excluded. Certain incidents with offload times exceeding six hours and 12 hours are verified for accuracy, and incidents are excluded if the timeline cannot be validated.

Data for this report has been collected from ePCRs (electronic patient care reports) from FirstWatch® and are available after they have been completed by the provider. There is, therefore, an inherent latency to the availability of these records. Due to this latency, subsequent reports may feature higher aggregate numbers than earlier reports for the same reporting period. The difference is insignificant (averaging less than .07%) and does not impact overall compliance.

¹ Health and Safety Code Division 2.5, Chapter 3, Article 1, Section 1797.120(b)

² Ambulance Patient Offload Time (APOT) Standardized Methods for Data Collection and Reporting, approved by EMS Commission 12/14/2016.

³ Ibid., APOT-1 Specifications.

⁴ Ibid., Definitions.

⁵ REMSA Policy 9101.6. <http://www.remsa.us/policy/9101.pdf>

⁶ REMSA Policy 4204, Transfer of Patient Care. <http://www.remsa.us/policy/4204.pdf>

⁷ Calkins MM, Isaksen TB, Stubbs BA, Yost MG, Fenske RA (2016). Impacts of extreme heat on emergency medical service calls in King County, Washington, 2007-2012: relative risk and time series analyses of basic and advanced life support. *Environ Health*. doi: 10.1186/s12940-016-0109-0

⁸ Sheridan SC, Kalkstein AM, Kalkstein LS (2009). Trends in heat-related mortality in the United States, 1975–2004. *Natural Hazards* 50:1, 145-160

⁹ Guo Y, Gasparrini A, Armstrong BG (2017). Heat Wave and Mortality: A Multicountry, Multicommunity Study. *Environ Health Perspect*. 2017;125(8):087006. doi:10.1289/EHP1026

¹⁰ CDC, Climate and Health Program. 2010. <https://www.cdc.gov/climateandhealth/effects/default.htm>