

Ambulance Patient Offload Time Special Seasonal Report

2023-24
Seasonal
Report



Week 52 (12/24/23 – 12/30/23)

Riverside County EMS System Status

Week 52 Summary

9-1-1 Responses	↓	4,974 9-1-1 responses — 2.0% DECREASE from the previous week - Pg 2
9-1-1 Transports within Riverside County	↓	3,508 9-1-1 transports — 2.1% DECREASE from the previous week - Pg 2
Ambulance Patient Offload Delay (APOD)	↓	867 Ambulance Patient Offload Delays — 6.5% DECREASE from the previous week - Pg 2
APOD Hours	↑	598.8 Ambulance Patient Offload delay hours — 1.4% INCREASE from the previous week - Pg 3
APOD Compliance	↑	75.3% APOD Compliance — 1.6% INCREASE from the previous week - Pg 4
Ambulance Patient Offload Time (APOT) >90 min	↑	197 transports with APOT >90 min — 16.6% INCREASE from the previous week - Pg 5
Emergency Treatment Services	↑	70 ETS transports — 31% INCREASE from the previous week — 69% OFFLOAD < 30 min - Pg 6
EMS influenza-like-illness (ILI)	↔	223 ILI responses, 0.9% DECREASE from the previous week- ABOVE 8 STD from Baseline— Page 8



This report and all published APOT reports can be found at:

<http://www.rivcoready.org/remsa/data-and-reports/current-reports>

Prepared by Riverside County EMS Agency – January 4, 2024

SPECIAL SEASONAL REPORT

In an effort to monitor Ambulance Patient Offload Time (APOT) and influencing factors such as seasonal surge, Riverside County EMS Agency is publishing weekly reports. The following charts represent weekly aggregates of 9-1-1 Responses, Transports, and Ambulance Patient Offload Delays (APOD) for the past 16 weeks.




*Transports include only 9-1-1 transports to Riverside County hospitals

- During Week 52, there were a total of **4,974 ALS responses** in Riverside County—2.0% DECREASE from the previous week’s total of 5,076 responses.
- During Week 52, there were a total of **3,508 transports** in Riverside County— 2.1% IDECREASE from the previous week’s 3,582 transports.
- During Week 52, there were a total of **867 APODs** in Riverside County— 6.5% DECREASE from the previous week’s total of 927 APODs.


RIVERSIDE COUNTY AMBULANCE PATIENT OFFLOAD TIME

The following chart represents weekly aggregate APOT and APOD hours (hh:mm:ss) for the past 16 weeks. APOT begins at patient arrival at hospital (eTimes.11) and ends when patient care is transferred to the hospital (eTimes.12). APOD calculation begins when APOT exceeds the 30-minute transfer of care standard defined in REMSA [Policy 4109](#).



- During Week 52, **APOT county-wide totaled 1737.1 hours** — 1.4% DECREASE from the previous week’s total of 1761.8 hours.
- County-wide **APOD hours for Week 52 totaled 598.8 hours**, a 1.4% INCREASE from the previous week’s total of 590.7 hours.

The data provided below illustrates the total APOD time (hh:mm) by month over the last five years. This chart is a summation of offload time delays only and excludes the initial 30-minute period defined as the standard transfer of care time.




*Dec ‡ is a partial month

AMBULANCE PATIENT OFFLOAD TIME BY HOSPITAL

APOT Snapshot					
	ALS Transports	APOT	APOD Hours	APODs	APOD Compliance
Corona Regional Med Ctr	183	117:55:25	51:05:18	66	63.9%
Desert Regional Med Ctr	328	96:25:27	10:57:54	36	89.0%
Eisenhower Health	357	88:59:37	5:12:25	29	91.9%
Hemet Valley Hospital	178	232:33:48	156:35:38	98	44.9%
Inland Valley Med Ctr	243	159:18:11	75:35:43	84	65.4%
JFK Hospital	152	30:49:17	3:23:23	8	94.7%
Kaiser Hospital Moreno Valley	106	46:45:32	9:59:07	29	72.6%
Kaiser Hospital Riverside	133	81:24:03	33:54:48	49	63.2%
Loma Linda Univ Med Ctr Mur	196	124:43:16	45:09:30	73	62.8%
Menifee Med Ctr	96	88:19:13	44:40:21	49	49.0%
Palo Verde Hospital	38	4:05:53	0:00:00	0	100.0%
Parkview Community Hospital	147	50:07:22	4:23:22	18	87.8%
Rancho Springs Med Ctr	178	99:22:23	33:31:43	61	65.7%
Riverside Community Hospital	413	164:20:26	35:39:55	86	79.2%
Riverside University Health System	455	151:07:35	8:16:41	55	87.9%
San Gorgonio Mem Hospital	156	125:29:23	61:58:48	75	51.9%
Temecula Valley Hospital	149	75:22:05	18:22:19	51	65.8%
Totals	3,508	1737:08:56	598:46:55	867	75.3%


Transports and APOD Compliance by Hospital



AMBULANCE REDIRECTION

REMSA [Policy 6104](#) allows redirection of ambulances away from hospitals experiencing significant Ambulance Patient Offload Delays (APOD) to the next most appropriate facility. *Significant* APOD is defined as a patient remaining on an ambulance gurney for **90 minutes or greater after arrival at the hospital** (APOT > 90 min). Standard transfer of care is 30 minutes or less (APOT < 30 min). Until the transfer of care is complete (patient is removed from the gurney and hospital staff assume care of the patient), ambulance crews must remain at the hospital and continue care. While patients held on excessive APODs are generally those classified as lower acuity, approximately one-third of the County's ~600 daily 9-1-1 medical responses are determined by dispatch as critical, requiring immediate medical attention (e.g., cardiac arrest, stroke, traumatic injury). As a result, excessive, or multiple APODs within the same service area impact ambulance timeliness and availability in the field posing direct risk to 9-1-1 patient safety. Ambulance redirection is one strategy to reduce the consequential backlog of EMS services which occurs when there are excessive ambulance delays at hospital emergency departments. Below is the Week 52 countywide breakdown of APOD occurrences where ambulances were documented as held for greater than 90 minutes before transfer of care.

Patient Offload Delays Greater than 90 Minutes



- During Week 52, **197 ambulances were delayed greater than 90 minutes** — 16.6% INCREASE from the previous week's total of 169.


Facility	Total Time APOT > 90 min (HR: MM: S)	Total Incidents APOT > 90 min
Corona Regional Med Ctr	14:18:38	18
Desert Regional Med Ctr	0:32:03	2
Eisenhower Health	0:00:00	0
Hemet Valley Hospital	82:57:26	52
Inland Valley Med Ctr	25:03:51	32
JFK Hospital	0:07:03	1
Kaiser Hospital Moreno Valley	0:37:41	2
Kaiser Hospital Riverside	10:06:38	9
Loma Linda Univ Med Ctr Mur	11:18:28	13
Menifee Med Ctr	12:43:27	15
Palo Verde Hospital	0:00:00	0
Parkview Community Hospital	0:10:04	1
Rancho Springs Med Ctr	5:52:17	11
Riverside Community Hospital	6:16:12	10
Riverside University Health System	0:00:00	0
San Geronio Mem Hospital	20:44:44	26
Temecula Valley Hospital	1:46:59	5
Grand Total	192:35:31	197

EMERGENCY TREATMENT SERVICES

Transports to Emergency Treatment Services (ETS) comprise over 3% of overall transports. This is significant enough to impact the EMS system and, therefore, warrants reporting. However, transports to ETS do not meet the EMSA definitions for APOT (see page 10); therefore, they are not included with the previous APOT aggregates.

ETS Snapshot- 2023 Week 52					
	Transports to ETS	Total Offload Time	APOD Hours	Offload >30min	Compliance
Emergency Treatment Services	70	33:55:56	7:23:46	22	68.6%

The chart below represents Riverside County's total number of *ETS ambulance transports, patient offload delay (APOD), and percent compliance* for the current week and a rolling 15 weeks prior.




- During Week 52, there was a total of 70 **transports to ETS** – a 318% INCREASE from the previous week.
- During Week 52, **31% resulted in offload > 30 minutes** – 15% MORE than the previous week.

ILI - INFLUENZA-LIKE ILLNESS RESPONSE

While influenza is detected year-round, it is most common during fall and winter. Increases in influenza-like-illness (ILI) generally begin in October and peak sometime between December and February (<https://www.cdc.gov/flu/about/season/flu-season.htm>).

Hospital Emergency Departments (EDs) generally experience an increase in volume during flu season which, in turn, can impact Ambulance Patient Offload Time. The purpose of the Riverside County EMS system ILI (Influenza-like Illness) reporting is to improve tracking of influenza-related activity and facilitate EMS preparedness in the event of a significant surge event, similar or greater than that observed during the 2017-18 flu season.



Week 40 (~October 1st) is defined by the Center for Disease Control (CDC) as the expected start of increasing influenza activity, or “flu season”. Riverside County EMS Agency monitors influenza-like illness (ILI) year-round for better detection of seasonal or abnormal surges which can impact EMS utilization.


The ILI trigger evaluates electronic patient report (ePCR) data using the following methodology:

1. Filters primary or secondary impression of code J11 (Influenza due to unidentified influenza virus)
OR
2. A primary / secondary impression code J80, J98.09 (Acute respiratory distress syndrome, Respiratory disorder unspecified) with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza
OR
3. Any incident with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza.

ILI - INFLUENZA-LIKE ILLNESS RESPONSE *(CONT.)*


EMS ILI response two standard deviations above the calculated baseline average during non-peak flu seasons is considered a surge in flu activity. For the current Flu season 2020-'21, the standard deviation threshold value is not calculated as there was abnormal non-peak flu season behavior due to COVID-19. The threshold value listed in the graph is based on previous years non-peak flu season. Surges are identified as color levels adapted from the *CDPH Standards and Guidelines for Healthcare Surge During Emergencies* (actual response status for the EMS system may differ):

<https://www.cdph.ca.gov/Programs/EPO/CDPH%20Document%20Library/FinalEOM712011.pdf>



PUBLIC HEALTH AND MEDICAL SYSTEM STATUS	
Green	The Public Health and Medical System is in usual day-to-day status. Situation resolved; no assistance is required.
Yellow	The Public Health and Medical System is managing the incident using local resources or existing agreements. No assistance is required.
Orange	The Public Health and Medical System requires assistance from within the local jurisdiction/Operational Area.
Red	The Public Health and Medical System requires assistance from outside the local jurisdiction/Operational Area.
Black	The Public Health and Medical System requires significant assistance from outside the local jurisdiction/Operational Area.
Grey	Unknown.


During Week 52, EMS ILI response is ABOVE the EIGHT (8) standard deviation threshold compared to ILI activity during non-peak flu season levels (weeks 13-39).




ILI-related EMS response in Riverside County, ePCR distribution map: Week 52

RIVERSIDE COUNTY PUBLIC HEALTH INFLUENZA-LIKE ILLNESS DATA

Riverside County Public Health Department – DOPH collects Emergency Department ILI activity data from the Center for Disease Control’s (CDC) *Early Notification of Community-based Epidemics (ESSENCE)* system as part of the National Syndromic Surveillance Program (NSSP). Sixteen of 17 Riverside County hospitals participate in ESSENCE. The graph below provides a comparison between Riverside County’s EMS ILI responses and Emergency Department (ED) ILI visits for the current year compared to the previous year.



Starting Week 44 2023, Loma Linda Medical center’s data is added to ED volume.



EMS ILI responses and ED ILI visits as a percentage of their respective total volume – adapted from CDC methodology. For Riverside County Public Health Department Influenza Reporting, see <https://www.rivco-diseasecontrol.org/>

APOT AND APOD DEFINITIONS

9-1-1 Ambulance Response

For the purpose of reporting valid, unduplicated response counts, only ground transport units responding to 9-1-1 incidents are included in this report. This excludes records from First Responder Fire Agencies arriving on scene with transport agencies as part of Riverside County's 9-1-1 dual medical response system. It also excludes non-emergency interfacility or other transport types (i.e., air ambulance) where a 30-minute time standard would not apply.

Ambulance Patient Offload Time (APOT)

The time interval between the arrival of an 9-1-1 patient at an Emergency Department (ED) and the time that patient is transferred from the ambulance gurney to a bed, chair, or other acceptable location, and the ED assumes responsibility of care.¹ The Clock Start (eTimes.11) is the time of patient arrival at the destination (hospital), and the Clock Stop (eTimes.12) is the time patient care is transferred.² REMSA obtains both times from the ePCR.

Ambulance Patient Offload Delay (APOD)

Any delay in ambulance patient offload time (APOT) that exceeds the local ambulance patient offload time standard of 25/30 minutes (Riverside County EMS Agency applies a 30-minute standard). This shall also be synonymous with "non-standard patient offload time" as referenced in the Health and Safety Code.³ If the transfer of care and patient offload from the ambulance gurney exceeds the 30-minute standard, it will be documented and tracked as APOD.⁴ *The Riverside County ePCR system requires medics to enter an "APOD Reason" when APOT exceeds the 30-minute standard. While the number of APODs documented as non-ED-related is nominal, beginning in Week-1 of 2022, only delays identified as having an ED origin are counted against APOD compliance for a more precise metric.*

APOD Compliance

Frequency comparison expressed in percentage between the total number of transports and those resulting in APODs having a documented ED-related origin.

Emergency Treatment Services (ETS) Ambulance Patient Offload Delay (APOD)

Transport to ETS maintains the 30-minute offload standard, however, ETS APOD includes 9-1-1 and interfacility transports (IFTs) as approximately three-quarters of ETS transports are IFTs from other medical facilities.

Additional Data Definitions

Data in this report has been collected from ePCRs (electronic patient care reports) from FirstWatch® and are available after they have been completed by the provider. There is, therefore, an inherent latency to the availability of these records. Due to this latency, subsequent reports may feature slightly different aggregate numbers than earlier reports for the same reporting period. The difference is insignificant (averaging less than .1%) and does not impact overall compliance.

Data in this report includes all transports to the 17 hospitals monitored by REMSA in the respective week relative to the date and time the incident originates (eTimes.03--Dispatch Notified Date/Time). For example, if an incident originates on day-7 of the current reporting week, and the patient is subsequently transferred to the care of an emergency department after midnight which falls on day-1 of the subsequent week, that incident will be included in the current reporting week.

-For inquiries, please contact Riverside County Emergency Management Department (EMD), EMS Agency (951) 358-5029

-Current report prepared by Sudha Mahesh & Catherine Borna Farrokhi, EMD, EMS Agency

¹ Health and Safety Code Division 2.5, Chapter 3, Article 1, Section 1797.120(b)

² Ambulance Patient Offload Time (APOT) Standardized Methods for Data Collection and Reporting, approved by EMS Commission 12/14/2016. https://emsa.ca.gov/wp-content/uploads/sites/71/2017/09/APOT-Methodology_Guidance-2016.pdf

³ Ibid., APOT-1 Specifications

⁴ REMSA Policy 4109, Transfer of Patient Care. <https://www.remsa.us/policy/4109.pdf>

⁷ Calkins MM, Isaksen TB, Stubbs BA, Yost MG, Fenske RA (2016). Impacts of extreme heat on emergency medical service calls in King County, Washington, 2007-2012: relative risk and time series analyses of basic and advanced life support. *Environ Health*. doi: 10.1186/s12940-016-0109-0

⁸ Sheridan SC, Kalkstein AM, Kalkstein LS (2009). Trends in heat-related mortality in the United States, 1975–2004. *Natural Hazards* 50:1, 145-160

⁹ Guo Y, Gasparrini A, Armstrong BG (2017). Heat Wave and Mortality: A Multicountry, Multicommunity Study. *Environ Health Perspect*. 2017;125(8):087006. doi:10.1289/EHP1026

¹⁰ CDC, Climate and Health Program. 2010. <https://www.cdc.gov/climateandhealth/effects/default.htm>